AAS

Sliding Solutions From Switzerland


YM03木门幽灵门说明书

（一门到顶款）


YM03-木门幽灵门(一门到顶款)安装说明书


YM03 Wooden Ghost Door (One Door to Top) Installation Manual


产品清单 Product List


主支架 Upper runner		1	侧边轮 Side runner		2	轨道 Rail		1
下定位轮 Down guide roller		1	地轮 Down runner		2	缓冲器 Soft close device		2


* 安装尺寸仅供参考，以实际安装为准 Date for reference only, install based on your project




















木门模式一（门洞全开） Front view method 1 (Door fully open)




木门模式二（门洞未全开） Front view method 2(Door not fully open)



安装上轮支架
Fasten the uppre runner



安装下定位轮
Screw the down guide roller




装门要求
Hang up the door


① 注意装入时不要压到下定位轮
Do not press the down guide roller when hanging up the door

② 注意:门与天花板最少留 > 8mm
Attention: Door and ceiling Leave at least 8mm

③ 门板必须居中
The door panel must be centered




调节上下 Adjust the height




安装之前把活动架与主后座调齐平，以方便安装后能上下调节5mm

Before installation, align the movable frame with the main and rear seats to facilitate up and down adjustment of 5mm after installation

锁紧安全扣 Locking safety buckle



调节好后
拨动安全扣锁紧
After adjustment
Pull the safety buckle to lock it in place



Exploration is boundless,
elevating minimalism to extraordinary heights

探索无界　非凡至简

关注我们 获取更多资讯

美爵小程序

AAS小红书

AAS视频号

AAS抖音号